


SQUARE TUBES, ROUND CORNERS



* DENOTES 1/2 COMMERCIAL TOLERANCE

i SPECIAL DIE NOTES, SEE WEBSITE FOR DETAILS

DIE #	DIMENSIONS				WEIGHT	
	W	T	R	Q	LB/FT	KG/M
H-2433 i	0.750	0.064	0.093	0.029	0.199	0.297
H-4466	0.750	0.100	0.093	0.010	0.298	0.444
H-6444	1.000	0.063	0.157	0.094	0.263	0.391
H-6846	1.000	0.064	0.156	0.092	0.267	0.397
H-2137	1.000	0.075	0.156	0.081	0.309	0.460
H-9566	1.000	0.090	0.156	0.066	0.366	0.545
H-20796	1.000	0.100	0.093	0.015	0.416	0.619
H-6026	1.000	0.100	0.156	0.056	0.404	0.601
H-24083	1.000	0.120	0.120	0.120	0.498	0.742
H-2669	1.000	0.120	0.156	0.036	0.475	0.707
H-20797	1.250	0.100	0.093	0.015	0.534	0.795
H-10063	1.250	0.100	0.156	0.056	0.521	0.776
H-2442	1.250	0.120	0.156	0.036	0.617	0.918
H-21580	1.250	0.120	0.250	0.130	0.594	0.884
H-10280	1.250	0.125	0.093	0.000	0.655	0.975
H-8381	1.250	0.125	0.188	0.063	0.631	0.939
H-6445	1.500	0.083	0.177	0.094	0.532	0.792
H-20071	1.500	0.090	0.090	0.090	0.599	0.891
H-9076	1.500	0.095	0.156	0.061	0.609	0.906

DIE #	W	T	R	Q	LB/FT	KG/M
H-20798	1.500	0.100	0.093	0.015	0.652	0.971
H-3807	1.500	0.120	0.156	0.036	0.758	1.128
H-22496	1.500	0.120	0.312	0.192	0.720	1.072
H-27163	1.500	0.120	0.370	0.250	0.706	1.051
H-16350	1.500	0.125	0.312	0.192	0.750	1.116
H-19638	1.500	0.187	0.186	0.156	1.149	1.709
H-8712	1.700	0.135	0.225	0.090	0.955	1.421
H-8126	1.700	0.188	0.225	0.037	1.292	1.923
H-10073	1.820	0.120	0.280	0.160	0.909	1.353
H-20072	2.000	0.090	0.090	0.090	0.811	1.207
H-13894	2.000	0.100	0.100	0.000	0.886	1.319
H-3839	2.000	0.120	0.255	0.135	1.017	1.514
H-22497	2.000	0.120	0.375	0.255	0.988	1.471
H-24938	2.000	0.125	0.125	0.010	1.091	1.623
H-22294	2.000	0.125	0.125	0.125	1.106	1.646
H-6713	2.000	0.125	0.375	0.250	1.027	1.529
H-22129	2.000	0.187	0.250	0.250	1.600	2.381
H-24940	2.000	0.188	0.188	0.010	1.572	2.340
H-18310	2.000	0.188	0.281	0.093	1.537	2.287
H-24937	2.000	0.250	0.250	0.000	2.002	2.979
H-11478	2.000	0.250	0.375	0.125	1.922	2.860
H-14696	2.375	0.160	0.375	0.215	1.577	2.347
H-13791	2.500	0.100	0.100	0.000	1.123	1.671
H-10074	2.500	0.120	0.280	0.160	1.295	1.927
H-25119	2.500	0.188	0.250	0.250	2.052	3.053
H-29053	2.500	0.250	0.250	0.125	2.608	3.880
H-13792	3.000	0.100	0.100	0.000	1.359	2.022
H-23746	3.000	0.125	0.187	0.063	1.665	2.478
H-6826	3.000	0.160	0.062	0.000	2.141	3.186
H-14181	3.000	0.160	0.280	0.120	2.080	3.095
H-23747	3.000	0.188	0.187	0.063	2.464	3.667
H-13783	3.000	0.250	0.187	0.062	3.213	4.782
H-22173	3.000	0.250	0.438	0.188	3.086	4.593
H-22283	3.000	0.250	0.500	0.250	3.055	4.546

DIE #	W	T	R	Q	LB/FT	KG/M
H-10075	4.000	0.188	0.280	0.280	3.383	5.034
H-11781	4.000	0.250	0.500	0.250	4.235	6.302
H-15425	4.500	0.188	0.375	0.188	3.719	5.534